



P0430 - Lincat Electric Counter-top Pizza Oven - Single-Deck - W 966 mm - 4.2 kW

Transport yourself to the Centro Storico district of Naples with the authentic taste of the pizzas from the Lincat Electric Pizza Oven.

- ✓ Ideal for restaurants, pizzerias, takeaways, fast food outlets, canteens and leisure establishments
- ✓ Perfect for deep pan, thin crust, fresh dough, part baked or frozen pizzas, as well as a variety of other foods such as ciabatta, naan, garlic bread, lasagna, jacket potatoes, pies, pasties and pastries
- ✓ Firebrick base for crisp, even cooking of pizza bases and a maximum temperature of 480°C
- ✓ Internal illumination for better visibility of product and enhanced appearance in front of house applications
- ✓ Independently controlled top and base of oven compartment
- ✓ Thermostatic control and temperature display gauge to monitor oven temperature more accurately
- ✓ Double-glazed door construction for energy efficiency with toughened glass for safety
- ✓ 20 minute audible timer

Specifications

Summary Power and Performance

Brand	Lincat	Total Power kW	4.2
Range	Specialist	Temperature Range °C	80-480
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No	Oven Rating kW	4.2
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103691		

Key Specifications Capacity

Number of Decks	1	Pizza Capacity	4 x 12" [30cm] pizzas per deck
------------------------	---	-----------------------	--------------------------------

Weights and Dimensions Supply Connections

Unit Height (External) mm	365	Requires Installation	Yes
Unit Width (External) mm	966	Requires Electrical Supply	Yes
Unit Depth (External) mm	925	UK 3 Pin Plug	No
Height (Internal) mm	160	Requires Hardwiring	Yes
Width (Internal) mm	630	Electrical Supply Rating Watts	4,200
Depth (Internal) mm	640	Single Phase Amps	18.3
Net Weight Kg	97.9	Single Phase Voltage	230
		Three Phase Amps	L1=6.1; L2=6.1; L3=6.1
		Three Phase Voltage	400

Shipping

Packed Weight Kg	107.69
Packed Height cm	55
Packed Width cm	110
Packed Depth cm	97

Available Accessories

PO430/FS




PO430 FLOORSTAND

Available Accessories

PO430/SK

P0430 STACKING KIT

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm